




Product Specifications



Wiring Diagrams



A : Shunt relay
 M : Shunt trip
 RA : Protection grounding
 RB : Facility Grounding
 T : Test Button





RESIDUAL CURRENT CIRCUIT BREAKERS (RCCBS)


RSM

Technical Drawings



2 Poles
(RCCB) 3kA




4 Poles
(RCCB) 3kA




2 Poles
(RCCB) 6kA




4 Poles
(RCCB) 6kA




2 Poles
(RCCB) 3kA




4 Poles
(RCCB) 3kA




2 Poles
(RCCB) 6kA




4 Poles
(RCCB) 6kA



2 Poles
(RCCB) 10kA



4 Poles
(RCCB) 10kA



RESIDUAL CURRENT CIRCUIT BREAKERS (RCCBS) 10kA

RSM

| Rated Current I_n (A) | Rated Voltage U_n (V) | Code No | Pcs in Box | Pcs Pack. | Product Name |
|----------------------------|----------------------------|------------|---------------|--------------|--------------|
|----------------------------|----------------------------|------------|---------------|--------------|--------------|

| | | | | |
|-----|-----|-------------|---|-----|
| 25 | 230 | 1242.01.9.1 | 1 | 100 |
| 32 | 230 | 1242.01.9.2 | 1 | 100 |
| 40 | 230 | 1242.01.9.3 | 1 | 100 |
| 50 | 230 | 1242.01.9.4 | 1 | 100 |
| 63 | 230 | 1242.01.9.5 | 1 | 100 |
| 80 | 230 | 1242.01.9.6 | 1 | 50 |
| 100 | 230 | 1242.01.9.7 | 1 | 50 |
| 125 | 230 | 1242.01.9.6 | 1 | 50 |

2 Poled, 30 mA



| | | | | |
|-----|-----|--------------|---|-----|
| 25 | 230 | 1242.01.10.1 | 1 | 100 |
| 32 | 230 | 1242.01.10.2 | 1 | 100 |
| 40 | 230 | 1242.01.10.3 | 1 | 100 |
| 50 | 230 | 1242.01.10.4 | 1 | 100 |
| 63 | 230 | 1242.01.10.5 | 1 | 100 |
| 80 | 230 | 1242.01.10.6 | 1 | 50 |
| 100 | 230 | 1242.01.10.7 | 1 | 50 |
| 125 | 230 | 1242.01.10.6 | 1 | 50 |

2 Poled, 300 mA



| | | | | |
|-----|-----|--------------|---|----|
| 25 | 230 | 1242.01.11.1 | 1 | 50 |
| 32 | 230 | 1242.01.11.2 | 1 | 50 |
| 40 | 230 | 1242.01.11.3 | 1 | 50 |
| 50 | 230 | 1242.01.11.4 | 1 | 50 |
| 63 | 230 | 1242.01.11.5 | 1 | 50 |
| 80 | 230 | 1242.01.11.6 | 1 | 50 |
| 100 | 230 | 1242.01.11.7 | 1 | 50 |
| 125 | 230 | 1242.01.11.6 | 1 | 50 |

4 Poled, 30 mA



| | | | | |
|-----|-----|--------------|---|----|
| 25 | 230 | 1242.01.12.1 | 1 | 50 |
| 32 | 230 | 1242.01.12.2 | 1 | 50 |
| 40 | 230 | 1242.01.12.3 | 1 | 50 |
| 50 | 230 | 1242.01.12.4 | 1 | 50 |
| 63 | 230 | 1242.01.12.5 | 1 | 50 |
| 80 | 230 | 1242.01.12.6 | 1 | 50 |
| 100 | 230 | 1242.01.12.7 | 1 | 50 |
| 125 | 230 | 1242.01.12.6 | 1 | 50 |

4 Poled, 300 mA

